



Date: 18 September 2020  
 Quotation Number: \_\_\_\_\_

Project Reference Number \_\_\_\_\_

RFO 2020-0991

Name of the Project: \_\_\_\_\_

Procurement of LED Projector for Office Productivity

Location of the Project: \_\_\_\_\_

**REQUEST FOR QUOTATION**

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Please quote your lowest price on the item/s listed below, subject to the General and submit your quotation duly signed by your representative on or before 23 September 2020

*[Signature]*  
**EDGARDO G. PARE**  
 Regional Director

Note:

- The approved budget for the contract is P 400,000.00
- All entries shall be submitted to PSA Bldg., DMGC, Maimpis, City of San Fernando, Pampanga or through e-mail at psaregion3@gmail.com
- Price Validity shall be for a period of 30 calendar days.
- For inquiries, contact the PSA-RO3-BAC Secretariat at (045) 455- 2552/ (045) 436 3806.

ITEM NO.	ITEM AND DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL AMOUNT
	<b>LED PROJECTOR (HDMI READY)</b>	10	Unit		
	<b>Specifications</b>				
	<b>Optical</b>				
	LCD Panel				
	Resolution				
	White light output (brightness)				
	Brightness				
	Contrast Ratio				
	Lens				
	Lamp Wattage				
	Lamp Life				
	Diagonal Display Size				
	Number of colours				
	Keystone correction				
	Focus distance				
	Distance to width ratio				
	<b>Compatibility</b>				
	Computer compatibility				
	Composite/S-Video				
	HDMI Video				
	Plug & Play				
	<b>Features</b>				
	Speakers				
	Basic functions				
	Picture Adjustments				

Digital keystone	Auto V keystone $\pm 30$ degrees (@ XGA 60Hz)			
Advanced Features	MyScreen, My Memory, My Button, My Text, My Source, Picture mode (normal, cinema, dynamic, blackboard, whiteboard greenboard, photo), Daytime Mode, Input Source Naming (English), Resolution setting, Template, Closed Caption (for NTSC & component 480i only), Audio pass through, Framelock, Audio ports assign, Cloning, Drawing function (Optional wireless pen tablet TB-1 is necessary), Eco Mode (Normal, Eco, Intelligent Eco, Saver), iOS Connectivity			
Outward	Easy lamp replace from top, Air filter slides towards front side or top			
Power on & off	Direct on, Auto off			
Security Systems	Security bar, PIN-Lock, MyScreen Password, Keypad-Lock, Kensington slot, Transition detector, My Text, Security label			
Network	Network presentation (PC still/moving picture transfer), Campus Notification System, Configure and control projector via web browser, receive alerts via e-mail, projector management via SNMP, Crestron RoomView <sup>®</sup> , Scheduling, My Image, displaying text data transferred via the network, Command Control via network, A MX Device Discovery, PJ Link <sup>™</sup> , Network Bridge			
<b>Connections</b>				
Digital Input	1 x HDMI (HDCP compatible)			
Computer Input	2 x 15-pin Mini D-sub			
Monitor output	1 x 15-pin Mini D-sub (RCA combination)			
Video Input	2 x 15-pin Mini D-sub (shared with analogue computer in 1/2)			
	1 x RCA for composite			
	1 x Mini-DIN for S-Video			
Audio Input	2 x Stereo Mini Jack			
	1 x pair RCA (L/R)			
	1 x Microphone Jack (Stereo Mini)			
Audio Output	1 x pair RCA (L/R)			
USB Type A	2 x USB Type A (for PC-less presentation and wireless network)			
USB Type B	1 x USB Type B (for USB display or USB mouse control)			
Wired network	1 x RJ-45			
Wireless network	Option, IEEE802.11b/g/n ready (optional wireless adapter required)			
Control	1 x 9-pin D-sub for RS232C Control			
<b>Power</b>				
Power Supply	100-120V / 220-240V auto switching			
Power Consumption/Standby	300W/ $\leq 0.5$ W (AC 220-240V)			
<b>Physical</b>				
Dimensions (W x H x D) (Without feet)	317x98x288mm (excluding feet and extrusions)			
Weight	3.6Kg			
Noise Level	35dB (Normal Mode)/31dB (Eco mode)			
Air Filter	Hybrid (up to 5000 hours)			
<b>Miscellaneous</b>				
MISCELLANEOUS	Indicator lights (lamp, temp, power), Ceiling mount image, Rear projection image, Serial number label on side, MAC PC support: PJ Control software, MAC address label on side, LiveViewer software			
<b>Certification</b>				



CERTIFICATION	UL60950-1/cUL, FCC Part 15 subpart B class B, CE Marking: EN61000-3-2, EN61000-3-3, EN55022, EN55024 (EMC Directive), EN60950-1 (Low voltage directive), WEEE, RoHS, ErP (lot6) compliant, DEMKO-GS, GOST-R				
<b>Accessories Supplied</b>					
ACCESSORIES SUPPLIED	Remote control with batteries (HL02881), Computer cable, Power cord, Lens cap, Security label, Adapter cover, User manual (detail & concise), Network & wireless software (CD-ROM)				
<b>Warranty</b>	2 years warranty				

After having carefully read and accepted your General Conditions, I/We quote you on the item at price noted above.

\_\_\_\_\_  
**NAME OF FIRM**

\_\_\_\_\_  
 Signature Over Printed Name of  
 Authorized Representative

\_\_\_\_\_  
 Contact Number  
 Date: \_\_\_\_\_